

Tower Portfolio



683 Bonded Parkway
Streamwood, IL 60107

sales@chillpassion.com

Phone: 630.372.7005 Fax: 630.823.8486

Chill Passion
www.chillpassion.com

Rev. 2019.1



Dispensing tower is part of a perfect beverage experience for a customer. Our draft towers are crafted with durable and high-quality materials with attention to every detail. Let Chill Passion help you find the perfect tower for your needs, weather it be one of our beautiful stock towers or a custom design dreamt up by the bar owner.

Pipe U and L Towers	3
Pass thru Towers	4
Box Towers(T and Pass Thru)	5
Wall Mount Towers	6-7
Upright and Axis Towers	10
Wine, Coffee, Liquor Towers	11

Pipe Y Towers	4
Metro Style Towers	4
Chill Smart Inserts	6
Column Towers	8-9
Miami towers	10
Recent Tower Pictures	12-14

Pipe Towers



Made in USA



- SS Lines and bolt-in shanks
(On Glycol Ready Towers)
- 3 Layers of Insulation.
- In house assembly
- Custom requests welcome.

All Towers can be made with unlimited number of faucets (T or Y joint and extra pedestals will be added).

Arcadia: 3" Pipe Towers –Polished SS Finish.
Air : Vinyl Beer Lines. Glycol : SS Beer Lines, Copper Glycol Lines.

Air Cooled Chrome Contact	Air Cooled SS Contact	Glycol Ready Chrome Contact	Glycol Ready SS 304 Contact	3" Pipe Towers Polished SS Finish
CT3P4	CT3P4SS	CT3P4-GL	CT3P4SS-GL	4 Faucet – 23 1/2" wide
CT3P5	CT3P5SS	CT3P5-GL	CT3P5SS-GL	5 Faucet– 26 1/2" wide
CT3P6	CT3P6SS	CT3P6-GL	CT3P6SS-GL	6 Faucet– 29 1/2" wide
CT3P8	CT3P8SS	CT3P8-GL	CT3P8SS-GL	8 Faucet– 35 1/2" wide
CT3P10	CT3P10SS	CT3P10-GL	CT3P10SS-GL	10 Faucet– 41 1/2" wide
CT3P12	CT3P12SS	CT3P12-GL	CT3P12SS-GL	12 Faucet– 47 1/2" wide

**4" and 6" Pipe Towers. All SS304 contact. SS Beer Lines, Copper Glycol Lines.
Brushed SS Finish. (Add 8% for Polished Finish)**

Glycol Ready	4" Pipe Towers Brushed SS Finish	Glycol Ready	6" Pipe Towers Brushed SS Finish
CT4P6SS-GL	6 Faucet	CT6P6SS-GL	6 Faucet Glycol
CT4P8SS-GL	8 Faucet	CT6P8SS-GL	8 Faucet Glycol
CT4P10SS-GL	10 Faucet	CT6P10SS-GL	10 Faucet Glycol
CT4P12SS-GL	12 Faucet	CT6P12SS-GL	12 Faucet Glycol

**3" and 4" Pipe L Towers. All SS304 contact. SS Beer Lines, Copper Glycol Lines.
Brushed SS Finish. (Add 8% for Polished Finish)**

Glycol Ready	3" Pipe Towers Polished SS Finish	Glycol Ready	4" Pipe Towers Brushed SS Finish
CT3PL4SS-GL	4 Faucet Glycol	CT4PL4SS-GL	4 Faucet Glycol
CT4PL5SS-GL	5 Faucet Glycol	CT4PL5SS-GL	5 Faucet Glycol
CT4PL6SS-GL	6 Faucet Glycol	CT4PL6SS-GL	6 Faucet Glycol



- All Glycol Ready Towers on this page come with SS Lines and bolt-in shanks.
- Air cooled versions can be made for most towers (upto 12 faucets).
- All Towers can be made with unlimited number of faucets (extra pedestals)
- In house assembly, Custom requests welcome.



Made in USA

Y Towers



Item	Brushed SS Body – 4" Pipe All SS contact
CT4Y6SS-GL	6 Faucet Glycol
CT4Y8SS-GL	8 Faucet Glycol
CT4Y10SS-GL	10 Faucet Glycol
CT4Y12SS-GL	12 Faucet Glycol

Metro Style Towers

Polished SS Finish on all Towers



Item	Metro H - Glycol Ready
CTMH8SS-GL	8 Faucet – SS304 Contact
CTMH10SS-GL	10 Faucet – SS304 Contact
CTMH12SS-GL	12 Faucet – SS304 Contact
CTMH14SS-GL	14 Faucet – SS304 Contact
CTMH16SS-GL	16 Faucet – SS304 Contact



Air Cooled	Metro T
CTMT4	4 Faucet – Chrome Plated Brass Contact
CTMT6	6 Faucet – Chrome Plated Brass Contact
CTMT4SS	4 Faucet - SS304 Contact
CTMT6SS	6 Faucet - SS304 Contact

Glycol Ready	Metro T
CTMT4SS-GL	4 Faucet - SS304 Contact
CTMT6SS-GL	6 Faucet - SS304 Contact
CTMT8SS-GL	8 Faucet - SS304 Contact

Pass Thru Towers



Item	Pass Thru Towers- Glycol Ready Brushed SS Finish
CTPT8SS-GL	8 Faucet – SS304 Contact
CTPT10SS-GL	10 Faucet – SS304 Contact
CTPT12SS-GL	12 Faucet – SS304 Contact
CTPT14SS-GL	14 Faucet – SS304 Contact
CTPT16SS-GL	16 Faucet – SS304 Contact

Box Towers – Air or Glycol Ready



Made in USA



Features

- Includes Standard US Faucets and mounting hardware.
- Pre-Fitted with 3/16" ID tubing and beer nut.
- Total height : 15".
- 304 Grade SS Body with welded flange for durability.

**Faucet knobs sold separately
For all towers on this page
(Item# C186)**

**Upgrade to SS faucets and
shanks available for an upcharge**

T Tower with 3" round pedestal

Item ("GL" is for Glycol Ready)	Description
CTT3 / CTT3-GL	3 Faucets – Box width: 10"
CTT4 / CTT4-GL	4 Faucets – Box Width: 13"
CTT5 / CTT5-GL	5 Faucets – Box Width: 16"
CTT6 / CTT6-GL	6 Faucets – Box Width: 19"
CTT8 / CTT8-GL	8 Faucets – Box Width: 25"

T Tower with 4" round pedestal

Item ("GL" is for Glycol Ready)	Description
CTT4-4/ CTT4-4-GL	4 Faucets – Box Width: 13"
CTT5-4 / CTT5-4-GL	5 Faucets – Box Width: 16"
CTT6-4 / CTT6-4-GL	6 Faucets – Box Width: 19"
CTT8-4 / CTT8-4-GL	8 Faucets – Box Width: 25"
CTT10-4 / CTT10-4-GL	10 Faucets – Box width: 31"



Pass-through tower - 3" round columns

Item ("GL" is for Glycol Ready)	Description
CTT6P / CTT6P-GL	6 Faucets – Box Width: 19"
CTT8P / CTT8P-GL	8 Faucets – Box Width: 25"
CTT10P / CTT10P-GL	10 Faucets – Box Width: 31"
CTT12P / CTT12P-GL	12 Faucets – Box Width: 37"

Pass-through with 4" columns

Item ("GL" is for Glycol Ready)	Description
CTT6P-4 / CTT6P-4-GL	6 Faucets – Box Width: 19"
CTT8P-4 / CTT8P-4-GL	8 Faucets – Box Width: 25"
CTT10P-4 / CTT10P-4-GL	10 Faucets – Box Width: 31"
CTT12P-4 / CTT12P-4-GL	12 Faucets – Box Width: 37"
CTT14P-4 / CTT14P-4-GL	14 Faucets – Box Width: 43"
CTT16P-4 / CTT16P-4-GL	16 Faucets – Box Width: 49"

- Available in upto 24 faucets.

-30 faucet Tower can be made with 3 Pedestals.



Dual sided - with 4" columns

Item (Glycol)	Description
CTT12D-GL	T Tower, 12 Faucets total – Box Width: 19"
CTT16D-GL	T Tower, 16 Faucets total – Box Width: 25"
CTT16PD-GL	Pass Thru, 16 Faucets total – Box Width: 25"
CTT20PD-GL	Pass Thru, 20 Faucets total – Box Width: 31"
CTT24PD-GL	Pass Thru, 24 Faucets total – Box Width: 37"
CTT28PD-GL	Pass Thru, 28 Faucets total – Box Width: 43"
CTT32PD-GL	Pass Thru, 32 Faucets total – Box Width: 49"
CTT36PD-GL	3 Pedestals, 36 Faucets total – Box Width: 55"
CTT40PD-GL	4 Pedestals, 40 Faucets total – Box Width: 61"
CTT48PD-GL	4 Pedestals, 48 Faucets total – Box Width: 73"

Need a Custom Size ? Contact us.

Chill Smart Inserts

- SS Beer Lines with shanks bolt in from front.
- Copper glycol lines with 3/8" barb fitting.
- Multiple Layers of Insulation.
- Large Cold Block to provide consistent cooling.
- Includes 304 grade SS Shanks and Faucets.
- Available in center, down and side outlets.
- Custom requests welcome.
- Can be used in Towers or Wall Mount Systems.



Specify tubing direction when ordering :

- Center Straight
- Center Down
- Side Straight

- Shanks included for upto 1/2" thick wall. Order longer shank for thicker walls.

Specify wall thickness when ordering. (Difference in Shank Price will apply)

- Shanks setup at 3" apart. Custom distance available, may need an upcharge.

Item	Size
CS0141	4 Product With Shanks and Faucets
CS0161	6 Product With Shanks and Faucets
CS0181	8 Product With Shanks and Faucets
CS01101	10 Product With Shanks and Faucets
CS01121	12 Product With Shanks and Faucets

Pipe Wall Mount Towers



4" Pipe Wall Mount Towers –All SS304 contact.

Air Cooled	Glycol Ready	4" Pipe Wall Mount Brushed SS Finish
CTWP6	CTWP6-GL	6 Faucet Glycol
CTWP8	CTWP8-GL	8 Faucet Glycol
CTWP10	CTWP10-GL	10 Faucet Glycol
CTWP12	CTWP12-GL	12 Faucet Glycol

3" Pipe Wall Mount Towers

Air Cooled Chrome Contact	Air Cooled SS Contact	Glycol Ready Chrome Contact	Glycol Ready SS Contact	3" Pipe Wall Mount Polished SS Finish
CTW3P4	CTW3P4SS	CTW3P4-GL	CTW3P4SS-GL	4 Faucet – 23 1/2" wide
CTW3P5	CTW3P5SS	CTW3P5-GL	CTW3P5SS-GL	5 Faucet– 26 1/2" wide
CTW3P6	CTW3P6SS	CTW3P6-GL	CTW3P6SS-GL	6 Faucet– 29 1/2" wide
CTW3P8	CTW3P8SS	CTW3P8-GL	CTW3P8SS-GL	8 Faucet– 35 1/2" wide
CTW3P10	CTW3P10SS	CTW3P10-GL	CTW3P10SS-GL	10 Faucet– 41 1/2" wide
CTW3P12	CTW3P12SS	CTW3P12-GL	CTW3P12SS-GL	12 Faucet– 47 1/2" wide

More Wall mount dispensers on page 8

Tower possibilities are endless at Chill Passion

See Pages 12-14 for some of our recent creations

We can make many other towers Just ask for your needs and we can probably make it.



Under Bar and Wall Mount Dispensers

Now Available in up to 24 faucets !
Call us for sizes greater than 12 faucets.



Under Bar Mount Dispensers

Item	Description
CUT2	Under Bar mount dispenser – 2 faucets
CUT2-GL	Under Bar mount dispenser – 2 faucets Glycol
CUT3	Under Bar mount dispenser – 3 faucets
CUT3-GL	Under Bar mount dispenser – 3 faucets Glycol
CUT4	Under Bar mount dispenser – 4 faucets
CUT4-GL	Under Bar mount dispenser – 4 faucets Glycol
CUT5	Under Bar mount dispenser – 5 faucets
CUT5-GL	Under Bar mount dispenser – 5 faucets Glycol
CUT6	Under Bar mount dispenser – 6 faucets
CUT6-GL	Under Bar mount dispenser – 6 faucets Glycol
CUT8	Under Bar mount dispenser – 8 faucets
CUT8-GL	Under Bar mount dispenser – 8 faucets Glycol
CUT10	Under Bar mount dispenser – 10 faucets
CUT10-GL	Under Bar mount dispenser – 10 faucets Glycol
CUT12	Under Bar mount dispenser – 12 faucets
CUT12-GL	Under Bar mount dispenser – 12 faucets Glycol

Wall Mount Dispensers

Item	Description
CWT2	Wall mount dispenser – 2 faucets
CWT2-GL	Wall mount dispenser – 2 faucets Glycol
CWT3	Wall mount dispenser – 3 faucets
CWT3-GL	Wall mount dispenser – 3 faucets Glycol
CWT4	Wall mount dispenser – 4 faucets
CWT4-GL	Wall mount dispenser – 4 faucets Glycol
CWT5	Wall mount dispenser – 5 faucets
CWT5-GL	Wall mount dispenser – 5 faucets Glycol
CWT6	Wall mount dispenser – 6 faucets
CWT6-GL	Wall mount dispenser – 6 faucets Glycol
CWT8	Wall mount dispenser – 8 faucets
CWT8-GL	Wall mount dispenser – 8 faucets Glycol
CWT10	Wall mount dispenser – 10 faucets
CWT10-GL	Wall mount dispenser – 10 faucets Glycol
CWT12	Wall mount dispenser – 12 faucets
CWT12-GL	Wall mount dispenser – 12 faucets Glycol

SS Drip Trays with Shank Holes



RINSER CAN BE PLACED ON
EITHER SIDE OF PAN

- Includes drain nipple.
- 14" tall. Holes punched 2" down from the top edge.
- Ask for the number of shank holes required.

6-1/2" Wide Tray

Item	Description
CDTB8	8" Wide – Up to 3 holes with 3" spacing.
CDTB15	15" Wide – Up to 5 holes with 3" spacing.
CDTB24	24" Wide – Up to 8 holes with 3" spacing.
CDTB30	30" Wide – Up to 10 holes with 3" spacing.
CDTB36	36" Wide – Up to 12 holes with 3" spacing.
CDTB48	48" Wide – Up to 15 holes with 3" spacing.
CDTB60	60" Wide – Up to 20 holes with 3" spacing.
CDTB76	76" Wide – Up to 25 holes with 3" spacing.

8" Wide Tray

Without Rinser	With Rinser	Description
CDTB15-8	CDTB15-8R	15" Wide – Up to 5 holes
CDTB24-8	CDTB24-8R	24" Wide – Up to 8 holes
CDTB30-8	CDTB30-8R	30" Wide – Up to 10 holes
CDTB36-8	CDTB36-8R	36" Wide – Up to 12 holes
CDTB48-8	CDTB48-8R	48" Wide – Up to 15 holes

Column Towers – Air or Glycol Ready

Polished SS body tower with Chrome plated brass faucets and shanks



- 3" Diameter, Polished SS body.
- Chrome plated brass faucets and shanks.
- 1 and 2 faucet towers are 12" high.
- 3 faucet tower is 14-1/2" high.

2.5" Column, 10" high
Plated metal body

All Column towers include:

- Standard US faucets & black knobs
- All mounting hardware & gasket
- 3/16" ID x 5' beer line

Air Cooled

Item	Description
CT21	1 Faucet 2.5" diameter - Air cooled
CT31	1 Faucet , Air cooled
CT32	2 Faucets, Air cooled
CT33	3 Faucets, Air cooled

Glycol Ready

Item	Description
CT21-GL	1 Faucet 2.5" diameter – Glycol ready
CT31-GL	1 Faucet, Glycol Ready
CT32-GL	2 Faucets , Glycol Ready
CT33-GL	3 Faucets, Glycol Ready

Polished SS body tower with All SS 304 contact



- 3" Diameter, Polished SS body.
- SS304 beer faucets and shanks.
- 1 and 2 faucet towers are 12" high.
- 3 faucet tower is 14-1/2" high.

Air Cooled

Item	Description
CT31SS	1 Faucet, Air Cooled
CT32SS	2 Faucets, Air Cooled
CT33SS	3 Faucets, Air Cooled

Glycol Ready

Item	Description
CT31SS-GL	1 Faucet, Glycol Ready
CT32SS-GL	2 Faucets, Glycol Ready
CT33SS-GL	3 Faucets, Glycol Ready

Variations on column towers!

All Column Towers can be made with SS Drop Lines , "No Spin" shanks, Wine Ready etc. Just ask for what you need.

PVD coated SS body tower



- 3" PVD coated SS body
- Polished brass beer faucets and shanks.
- 1,2 faucet towers: 12" high.
- 3 faucet tower : 14" high.

Polished brass faucets and shanks

Air Cooled

Item	Description
CT31B	1 Faucet, Air cooled
CT32B	2 Faucets, Air cooled
CT33B	3 Faucets, Air cooled

Glycol Ready

Item	Description
CT31B-GL	1 Faucet, Glycol Ready
CT32B-GL	2 Faucets, Glycol Ready
CT33B-GL	3 Faucets, Glycol Ready

All SS304 Contact

PVD SS304 faucets and SS304 shanks

Air Cooled

Item	Description
CT31SSB	1 Faucet, Air cooled, SS304
CT32SSB	2 Faucets, Air cooled, SS304
CT33SSB	3 Faucets, Air cooled, SS304

Glycol Ready

Item	Description
CT31B-GL	1 Faucet, Glycol Ready, SS304
CT32B-GL	2 Faucets, Glycol Ready, SS304
CT33B-GL	3 Faucets, Glycol Ready, SS304

Column Towers – “No Spin” Technology

Polished SS body tower - No Spin Shanks with Chrome plated brass faucets and shanks

Item	Description
CT32-NS	1 Faucet, Air, No spin
CT33-NS	2 Faucets , Air, No spin
CT32-GL-NS	2 Faucets , Glycol Ready, No Spin
CT33-GL-NS	3 Faucets, Glycol Ready, No Spin



Polished SS body tower – No Spin Shanks All SS 304 contact

Item	Description
CT32SS-NS	1 Faucet, SS Contact, Air, No spin
CT33SS-NS	2 Faucets , SS Contact, Air, No spin
CT32SS-GL-NS	2 Faucets , SS Contact, Glycol Ready, No Spin
CT33SS-GL-NS	3 Faucets, SS Contact, Glycol Ready, No Spin

- 3" Diameter, Polished SS body.
- Chrome plated brass faucets and shanks.
- 2 faucet tower 1s 12" high.
- 3 faucet tower is 14-1/2" high.

- Specially designed Tower and Shank stops shank spinning.
- Eliminates possibility of kinks in the line.
- Improves durability of the tower.
- Less Service Calls.



4" Column Towers

Item	Description
CT43	4" Column Tower with 3 Faucets
CT43SS	4" Column Tower 3 Faucets , All SS304
CT44	4" Column Tower 4 Faucets
CT44SS	4" Column Tower 4 Faucets , All SS304

Add "-GL" for glycol ready towers.



Clamp On Towers

- Available in Single or Double Faucet
- Tray With or Without Drain

Item	Description
CCT1	Single Tap, Drip Tray No Drain
CCT2	Double Tap, Drip Tray No Drain
CCT1D	Single Tap, Drip Tray With Drain
CCT2D	Double Tap, Drip Tray With Drain



Tower Caps

Mounting Gasket

Mounting Screw

Item	Description
CT21.2	2.5" Tower Cap - Chrome
C507	3" Tower Cap – Chrome
C506	3" Tower Cap - Polished Brass / PVD
CT3.GSK	Mounting Gasket – 3" column tower
CT3.SCR	Mounting Screw - SS



CTE16:

CTE17



CTE18

3" Draft Beer Tower Extensions

Easily add on a line to single or double faucet towers.

- Includes required shanks.
- Includes screws and drill bit.

Item	Description
CTE16	Converts single faucet to double faucet
CTE17	Add a faucet to single or double faucet.
CTE18	Converts single faucet to triple faucet.

Upright Slim Tower

Now available in all
SS304 contact!



Item	Description
C523	4" column tower - 3 faucets
CUST1	Upright Slim Tower – Single Faucet
CUST1SS	Upright Slim Tower – Single Faucet – All SS304
CUST1N	Upright Slim Tower – Single Faucet, Stout Faucet
CUST1NSS	Upright Slim Tower – Single Faucet, Stout Faucet

- 14.5" high.
- Faucet spout is 12.5" from counter.
- Thru Bar installation.
- 4" long installation shank.

Axis Tower

Item	Description
CTA515	Axis Tower – Chrome plated brass
CTA530	Axis Tower – Chrome plated brass



The Miami Tower

- All Miami towers are glycol ready.
- Includes 1/4" ID SS 304 tubes for Beer Line.
- Purchase shank and faucet set separately (European flow control or US Standard)
- Faucet knobs not included.

* Polished brass finish available on special order.

Item	Description
CMMT1	Miami Beer Tower Single Faucet (Purchase shank/faucet set separately)
CMMT2	Miami Beer Tower Double Faucet (Purchase shank/faucet set separately)
CMMT3	Miami Beer Tower Triple Faucet (Purchase shank/faucet set separately)
CMMT4	Miami Beer Tower Four Faucet (Purchase shank/faucet set separately)

Item	Description
CFP10	European Style Flow Control Shank and Faucet Set
CFP11	Standard US Shank (SS) and Chrome faucet Set
CFS12	Standard US Shank(SS) and SS304 faucet (All contact SS304)
CSS252	Standard US shank SS – to fit Miami tower
CPC300.60	Round Label Holder



Wine , Coffee , Liquor Dispensing

- * Any tower can be made with Wine or Coffee Certified Parts.
- * Multiple Faucet Types available with wine and liquor towers
- * Contact us to inquire !

All towers on this page are listed without faucets. Select the desired faucet separately.



3" column Towers
Air Cooled. Glycol upon request
Includes 5' of BEV-SEAL Ultra Tubing

Item	Wine. Liquor, Coffee Faucets sold separately
CT31SS-W	1 Line – Polished SS
CT32SS-W	2 Lines – Polished SS
CT33SS-W	3 Lines – Polished SS
CT31BSS-W	1 Line – PVD Brass Look
CT32BSS-W	2 Lines - PVD Brass Look
CT33BSS-W	3 Lines - PVD Brass Look



Miami Towers
Glycol Ready
SS Lines

Item	Wine. Liquor, Coffee Faucets sold separately
CMMT1-W	1 Line
CMMT2-W	2 Lines
CMMT3-W	3 Lines
CMMT4-W	4 Lines



Slim Upright Towers
Air Cooled
Includes 5' of BEV-SEAL Ultra Tubing

Item	Wine. Liquor, Coffee Faucets sold separately
CUST1SS-W	Upright Slim Tower – Single Line

SS304 Parts for Wine, Coffee, Liquor Dispensing



Item Description	Page Number
SS304 Faucets	Page 16 ,17 and 18
SS304 Shanks	Page 21
Keg Couplers with S304 probe	Page 26
SS304 Tail Pieces and fittings	Page 23 and 24

For Nitro Coffee



CFS67



CFSW30



CFS304



CFS310



CFS36



CFS37



CFPX2W3
Available in
White, Black
and Burgundy

Faucet Selection
Good for Wine, Coffee,
Liquor, Water

Faucet Details on Page 16, 17, 18

OUR RECENT CREATIONS







**For latest catalog and
announcements visit our website:**

www.chillpassion.com

Limited One Year Warranty

Chill Passion Inc. warrants that its products will be free from defects in material and workmanship, under normal use, regular service and preventative maintenance for 1 year from the date of sale.

Warranty is for first- end users only. Some products which are not made by Chill Passion Inc. are warranted by their respective manufacturer, therefore, this limited warranty does not apply to such products.

If any defect is discovered, Chill Passion Inc., after receipt and inspection will at its option, either repair, replace or refund the price of the item. Other costs incidental to replacement including labor cost, loss of sales and/or loss of product must be borne by the user. This warranty does not cover failure due to abuse, improper usage, or progressive wear and tear.

Hours

Hours Monday through Friday: 8:30 am- 5:00 pm CST.

Ordering Procedure

Phone orders can be placed at 630-372-7005 during regular business hours. Orders can be faxed to (630) 823 8486 or emailed to sales@chillpassion.com.

While many items can be shipped within 2-3 days of order placement, the standard lead time on build-to-stock items is 5-7 business days. Lead time on custom items and other items may vary.

Receiving Merchandise

Inspect your shipment when it is delivered. If your package has arrived damaged or otherwise tampered with, notify your delivery person immediately. Customers are responsible for checking their order when it arrives to ensure that all items are present. If there are any discrepancies, please notify immediately(within 5 business days). Chill Passion Inc. is not responsible for missing items unless notified by customer within the allowed period. In the event of merchandise damaged in shipment, please retain merchandise, records and all packing materials for inspection by carrier.

Terms

All orders are sent FOB Streamwood, IL. We accept all major forms of payment. Any invoice past 30 days will delay future shipments. Chill Passion Inc. reserves the right to change the prices and specifications of equipment and/or material without notice. We reserve the right to correct printing errors.

Return Policy

Authorization is required for any merchandise return. Describe the items being returned and the reason. All returned items must be unused and in original condition including the original packaging, documentation, manuals and accessories. All returns are subject to a minimum 15% handling and restocking charge. Build to order items and custom sizes are not returnable.

Customers are responsible for all shipping charges. Freight must be prepaid on all returned parts. Chill Passion Inc. is not responsible for returned shipments that are lost, pilfered, or damaged.

Chill Passion

www.chillpassion.com

All Rights Reserved